



PROFILE FOR

Saltash Road Surgery

218 Saltash Road, Keyham, Plymouth, Devon

These profiles are designed to support clinical commissioning groups (CCGs), GPs and local authorities to ensure that they are providing and commissioning effective and appropriate healthcare services for their local population. The tool presents a range of practice-level indicators drawn from the latest available data, including:

- local demography;
- Quality and Outcomes Framework (QOF) domains;
- patient satisfaction survey;
- cancer services






In addition to displaying individual practice profiles, the web tool allows you to view summary profiles for CCGs. Each practice can be compared with its CCG and with England, and also with the practices in the same deprivation deciles.

The profiles do not provide an exhaustive list of primary care indicators, but they do allow a consistent approach to comparing and benchmarking across England.

Note: QOF indicators are calculated as percent of patients receiving an intervention.

The profiles have been designed as a web tool and the full functionality and various chart types such as scatter plots and trend charts are only available via the web version. For more information consult the User guide and FAQs via the Supporting documents link, and for full metadata view the 'Definitions' on the website.

The development of this tool has been led by the Public Health England Fingertips team. For further information contact: ProfileFeedback@phe.gov.uk



<http://fingertips.phe.org.uk/profile/general-practice>

How to read the indicator spine charts


The light grey bar shows the range of values found in England. The dark grey sections mark out the range within which the middle half of the observed values lie (25th to 75th percentile).

The red line shows where the England average is. The position of the circle shows the practice value, a triangle the CCG value, in relation to this scale.

The corresponding numbers can be found in the cells next to the chart.

If significance has been calculated for the indicator, then it is determined by whether the practice value is significantly higher or lower than the England average usually using 99.8% confidence intervals.

- No significant difference from England average
- Significantly different from England average
- Significance not calculated
- Practice
- ▽ Clinical Commissioning Group



Practice Summary

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
% aged 0 to 4 years	2015	6.5%	5.2%	5.9%	0.0%		17.3%
% aged 5 to 14 years	2015	10.7%	10.4%	11.4%	0.0%		30.3%
% aged under 18 years	2015	21.0%	19.3%	20.7%	0.0%		53.5%
% aged 65+ years	2015	16.2%	22.2%	17.1%	0.0%		92.5%
% aged 75+ years	2015	7.1%	10.2%	7.8%	0.0%		79.6%
% aged 85+ years	2015	1.5%	3.1%	2.3%	0.0%		48.2%
Deprivation score (IMD 2015)	2015	33.6	19.9	21.8	3.2		66.5
Deprivation score (IMD 2010)	2012	32.3	19.8	21.5	2.9		68.4
IDACI (Income Depr. - Children)	2015	30.8%	16.1%	19.9%	1.4%		59.3%
IDAOP (Income Depr. - Older People)	2015	22.5%	13.6%	16.2%	3.9%		65.3%
% who would recommend practice	2014/15	76.8%	85.6%	77.5%	15.2%		100%
% satisfied with phone access	2014/15	82.2%	84.4%	73.3%	11.9%		100%
% satisfied with opening hours	2014/15	76.3%	77.5%	74.9%	38.7%		100%
% who saw/spoke to nurse or GP same or next day	2014/15	76.7%	49.3%	48.3%	6.5%		98.3%
% reporting good overall experience of making appointment	2014/15	71.4%	83.3%	73.3%	16.8%		100%
% who know how to contact an out-of-hours GP service	2014/15	64.9%	66.1%	56.4%	11.9%		87.3%
% with a long-standing health condition	2014/15	59.7%	56.5%	54.0%	11.9%		94.7%
% with caring responsibility	2014/15	22.7%	19.2%	18.2%	0.5%		36.9%
Working status - Paid work or full-time education	2014/15	50.8%	59.1%	61.5%	8.5%		100%
Working status - Unemployed	2014/15	8.0%	4.0%	5.4%	0.4%		53.6%
Total QOF points	2014/15	76.6%	95.1%	94.8%	28.2%		100%
Life expectancy - MSOA based (Male)	2008 - 12	77.4	79.6	78.9	70.0		90.1
Life expectancy - MSOA based (Female)	2008 - 12	80.3	83.4	82.8	75.9		91.9
Nursing home patients	2014/15	0.1%	0.7%	0.5%	0.0%		14.9%

Cancer

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
Cancer: QOF prevalence (all ages)	2014/15	1.5%	2.7%	2.3%	0.0%		6.2%
Exception rate for cancer indicator	2014/15	50.0%	17.1%	15.4%	0.0%		100%
New cancer cases (Crude incidence rate: new cases per 100,000 population)	2012/13	556	631	508	0		1593
% reporting cancer in the last 5 years	2014/15	2.0%	3.8%	3.3%	0.3%		11.9%
CAN003: review within 6 mths of diagnosis	2014/15	50.0%	79.4%	80.1%	0.0%		100%
Exception rate for the cervical screening indicator	2014/15	5.3%	5.2%	6.2%	0.0%		62.2%
CS002: Women, aged 25-64, with a record of cervical screening (last 5 yrs) (Female)	2014/15	72.9%	78.0%	76.7%	0.0%		100%
Females, 25-64, attending cervical screening within target period (3.5 or 5.5 year coverage, %) (Female)	2014/15	72.4%	76.9%	73.5%	0.0%		100%
Females, 50-70, screened for breast cancer in last 36 months (3 year coverage, %) (Female)	2014/15	76.8%	78.1%	72.2%	0.0%		94.1%
Females, 50-70, screened for breast cancer within 6 months of invitation (Uptake, %) (Female)	2014/15	76.5%	77.1%	72.8%	0.0%		100%
Persons, 60-69, screened for bowel cancer within 6 months of invitation (Uptake, %)	2014/15	59.8%	62.0%	57.6%	0.0%		100%
Persons, 60-69, screened for bowel cancer in last 30 months (2.5 year coverage, %)	2014/15	57.0%	62.7%	57.9%	10.1%		100%
Two-week wait referrals (Indirectly age-sex standardised referral ratio)	2014/15	113	1	100	0		614
Number of new cancer cases treated (Detection rate: % of which resulted from a TWW referral)	2014/15	30.8%	53.3%	48.4%	0.0%		100%
Two-week wait referrals for suspected breast cancer (Number per 100,000 population)	2014/15	622	595	482	0		1645
Two-week wait referrals for suspected lower GI cancers (Number per 100,000 population)	2014/15	143	529	421	0		2176
Two-week wait referrals for suspected lung cancer (Number per 100,000 population)	2014/15	47.8	110.0	100.5	0.0		824.7
Two-week wait referrals for suspected skin cancer (Number per 100,000 population)	2014/15	1243	824	508	0		3465
In-patient or day-case colonoscopy procedures (Number per 100,000 population)	2014/15	670	806	695	0		2105
In-patient or day-case sigmoidoscopy procedures (Number per 100,000 population)	2014/15	383	422	431	0		1922
In-patient or day-case upper GI endoscopy procedures (Number per 100,000 population)	2014/15	813	1053	1142	28		3576
Number of emergency admissions with cancer (Number per 100,000 population)	2014/15	430	549	539	6		2970
Number of emergency presentations (Number per 100,000 population)	2014/15	143	104	90	0		721
Number of other presentations (Number per 100,000 population)	2014/15	239	491	360	0		1186

CVD - Coronary heart disease

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
CHD: QOF prevalence (all ages)	2014/15	3.5%	3.9%	3.2%	0.0%		20.9%
Heart failure w LVD: QOF prevalence	2014/15	0.0%	0.2%	0.2%	0.0%		2.2%
Exception rate for CHD indicators (2014/15 indicators)	2014/15	3.2%	9.4%	8.4%	0.0%		66.7%
CHD002: Last BP reading in last 12mths is <=150/90 (den.incl.exc.)	2014/15	83.6%	87.3%	88.4%	0.0%		100%
CHD003: Last total cholesterol is <=5mmol/l (den. incl. exc.) - retired	2013/14	64.9%	70.3%	73.2%	0.0%		100%
CHD005: Record that aspirin, APT or ACT is taken (den. incl. exc.)	2014/15	93.2%	92.0%	91.7%	0.0%		100%
CHD007: CHD patients immunised against flu (den.incl.exc.)	2014/15	84.9%	80.1%	81.2%	0.0%		100%
CHD006: History of MI: treated with ACE-I (den. incl. exc.)	2014/15	66.7%	64.0%	69.1%	0.0%		100%

CVD - Stroke and TIA

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
Stroke: QOF prevalence (all ages)	2014/15	1.5%	2.2%	1.7%	0.0%		20.3%
Exception rate for stroke indicators (2014/15 indicators)	2014/15	11.4%	10.4%	9.7%	0.0%		66.7%
Exception rate for PAD indicators (2014/15 indicators)	2014/15	2.3%	6.6%	5.8%	0.0%		73.9%
STIA003: Last BP reading is =150/90 (den. incl. exc.)	2014/15	71.9%	83.6%	84.3%	0.0%		100%
STIA004: Total cholesterol recorded in last 15mths (den. incl. exc.) - retired	2013/14	73.3%	82.6%	84.5%	0.0%		100%
STIA005: Last measured total cholesterol <=5mmol/l (den. incl. exc.) - retired	2013/14	61.5%	64.4%	68.4%	0.0%		100%
STIA007: Record that an anti-platelet agent or an anti-coagulant is taken (den. incl. exc.)	2014/15	91.7%	92.9%	91.7%	0.0%		100%
STIA008: New patients referred for further investigation (den.incl.exc.)	2014/15	-	75.0%	76.6%	0.0%		100%
STIA009: Influenza immunisation given 1 Aug-31 Mar (den.incl.exc.)	2014/15	71.9%	77.3%	77.5%	0.0%		100%
PAD002: last blood pressure reading (last 12 mnths) <=150/90 mmHg (den.incl.exc.)	2014/15	75.0%	84.0%	85.6%	0.0%		100%
PAD003: last total cholesterol measurement (last 12 mnths) <= 5.0 mmol/l (den.incl.exc.) - retired	2013/14	69.2%	66.1%	69.4%	0.0%		100%
PAD004: record of aspirin being taken (last 12 mnth) (den.incl.exc.)	2014/15	84.2%	88.1%	86.4%	0.0%		100%

















CVD - Heart failure and atrial fibrillation

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
Heart Failure: QOF prevalence (all ages)	2014/15	0.5%	0.8%	0.7%	0.0%		6.0%
Heart failure w LVD: QOF prevalence	2014/15	0.0%	0.2%	0.2%	0.0%		2.2%
Exception rate for heart failure indicators	2014/15	0.0%	12.5%	9.2%	0.0%		78.0%
Atrial fibrillation: QOF prevalence	2014/15	1.2%	2.2%	1.6%	0.0%		14.1%
Estimated prevalence of Atrial Fibrillation	2013/14	2.3%	3.0%	2.4%	0.0%		16.7%
Estimated prevalence of Atrial Fibrillation (Male)	2013/14	2.7%	3.5%		0.1%		17.2%
Estimated prevalence of Atrial Fibrillation (Female)	2013/14	1.9%	2.5%		0.0%		16.4%
Estimated percentage of detected Atrial Fibrillation	2013/14	46.9	68.9	65.2	0.0		131.9
Exception rate for atrial fibrillation indicators (2014/15 indicators)	2014/15	9.1%	11.4%	11.0%	0.0%		100%
HF002: Diagnosis conf. by ECG/specialist assessm. (den. incl. exc.)	2014/15	100%	88.1%	90.9%	0.0%		100%
HF003: Heart failure w LVD: treated with ACE-I or ARB (den. incl. exc.)	2014/15	-	83.1%	86.0%	0.0%		100%
HF004: Heart failure w LVD: treatment w ACE inh. or ARB, and beta-blocker (den.incl.exc.)	2014/15	-	70.3%	76.3%	0.0%		100%
AF002: stroke risk assessed with CHADS2 (last 12 mnths) (den.incl.exc.) - retired	2013/14	100%	92.7%	95.0%	0.0%		100%
AF004: treated w anti-coag. therapy (CHADS2 >1) (den.incl.exc.)	2014/15	85.7%	77.0%	74.3%	0.0%		100%
AF005: treated w anti-coag./platelet therapy (if CHADS2 =1) (den.incl.exc.)	2014/15	87.5%	92.4%	92.2%	0.0%		100%






CVD - Risk factors for CVD

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
Hypertension: QOF prevalence (all ages)	2014/15	18.4%	15.2%	13.8%	0.1%		47.6%
Exception rate for hypertension indicator (2014/15)	2014/15	1.8%	5.0%	3.8%	0.0%		46.9%
Exception rate for the BP indicator	2014/15	0.3%	0.6%	0.4%	0.0%		49.9%
Obesity: QOF prevalence (16+)	2014/15	27.2%	10.1%	9.0%	0.0%		29.4%
Estimated smoking prevalence (QOF)	2014/15	27.4	17.3	18.4	0.0		83.3
Exception rate for smoking indicators (2014/15 indicators)	2014/15	1.1%	1.3%	1.0%	0.0%		65.0%
GP patient survey: smoking prevalence	2014/15	18.7%	15.6%	16.4%	1.3%		85.8%
GP patient survey: ex-smoking prevalence	2014/15	33.6%	30.6%	27.4%	0.5%		51.3%
SMOK001: record of smoking status in last 24 months (15+ y), den. incl. exc. - retired	2013/14	85.9%	83.2%	85.6%	2.1%		100%
SMOK002: status recorded in last 12 mths (certain conditions), den.incl.exc.	2014/15	93.2%	93.5%	93.2%	0.0%		100%
SMOK004: record of offer of support and treatment (15+, last 24 mnths), den. incl. exc.	2014/15	77.0%	84.9%	85.8%	0.0%		100%
SMOK005: cessation support and treatment offered (certain conditions), den. incl. exc.	2014/15	85.1%	93.3%	94.1%	12.6%		100%
HYP006: Blood pressure <= 150/90 mmHg in people with hypertension	2014/15	76.6%	80.2%	80.4%	0.0%		100%
HYP003: Last (9mnths) blood pressure <= 140/90 mmHg (age <80) (den.incl.exc.) - retired	2013/14	51.4%	64.1%	70.4%	0.0%		98.9%
HYP004: Phys. act. assessment (last 12 mnths), patients with hypertension aged 16-74 (den.incl.exc.) - retired	2013/14	83.0%	62.5%	76.0%	0.0%		100%
HYP005: Patients w. hypertension who had a phys. act. assessment and where found to be inactive who had also a brief intervention (both in last 12mnths, aged 16-74) (den.incl.exc.) - retired	2013/14	72.8%	78.4%	86.3%	0.0%		100%
BP002: Patients, aged 45+, who have a record of blood pressure (last 5yrs)	2014/15	95.5%	91.1%	90.6%	0.0%		100%
CVD-PP001: new hypertension patients, age 30-74, with CV risk assessment >=20% treated w. statins (den.incl.exc.)	2014/15	-	65.5%	67.7%	0.0%		100%
CVD-PP002: Lifestyle advice for patients with hypertension (den. incl. exc.) - retired	2013/14	57.1%	66.4%	79.0%	0.0%		100%

Child health

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
% aged 0 to 4 years	2015	6.5%	5.2%	5.9%	0.0%		17.3%
% aged 5 to 14 years	2015	10.7%	10.4%	11.4%	0.0%		30.3%
% aged under 18 years	2015	21.0%	19.3%	20.7%	0.0%		53.5%
IDACI (Income Depr. - Children)	2015	30.8%	16.1%	19.9%	1.4%		59.3%
A&E attendances (0-4)	2011/12 - 13/14	337	471	530	22		2705
A&E attendances (5-17)	2011/12 - 13/14	196	301	307	5		1145
A&E attendances (<18)	2011/12 - 13/14	240	347	373	11		1504
Elective hospital admissions for all causes (<18)	2011/12 - 13/14	35.1	47.7	49.0	1.6		249.1
Emergency hospital admissions for all causes (<18)	2011/12 - 13/14	74.7	65.8	69.5	2.5		270.0
Emergency respiratory admissions (<18)	2009/10 - 13/14	4.9	3.8	3.8	0.4		14.5
Emergency gastroenteritis admissions (0-4)	2009/10 - 13/14	17.3	11.4	11.3	0.8		72.1
Emergency admissions for asthma, diabetes or epilepsy (<18)	2009/10 - 13/14	-	3.0	3.4	0.4		54.7
Admissions due to injury (<18)	2011/12 - 13/14	10.5	10.6	11.1	0.7		52.8
Outpatient first attendances (<18)	2011/12 - 13/14	368	282	246	6		1144
Ratio of first to follow-up outpatient attendances (<18)	2011/12 - 13/14	0.60	0.46	0.51	0.20		2.14
DNA rate for outpatient appointments (<18)	2011/12 - 13/14	12.3%	10.7%	11.5%	0.6%		32.3%

Chronic Kidney Disease

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
CKD: QOF prevalence (18+)	2014/15	7.6%	4.9%	4.1%	0.0%		23.8%
Exception rate for CKD indicators	2014/15	28.1%	9.5%	7.5%	0.0%		60.0%
CKD002: Last BP reading measured in last 12mths is <=140/85 (den. incl. exc.)	2014/15	53.2%	71.1%	74.4%	0.0%		100%
CKD003: Hypertension treated with ACE inhibitor/ARB (den. incl. exc.)	2014/15	75.0%	76.0%	76.4%	0.0%		100%
CKD004: Urine albumin:creatinine ratio test last 12 mths (den. incl. exc.)	2014/15	52.4%	75.8%	75.4%	0.0%		100%












Diabetes

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
Diabetes: QOF prevalence (17+)	2014/15	8.6%	6.5%	6.4%	0.3%		20.4%
Exception rate for diabetes indicators (2014/15 indicators)	2014/15	4.4%	12.6%	10.8%	0.0%		49.0%
Hypertension: QOF prevalence (all ages)	2014/15	18.4%	15.2%	13.8%	0.1%		47.6%
Exception rate for hypertension indicator (2014/15)	2014/15	1.8%	5.0%	3.8%	0.0%		46.9%
Exception rate for smoking indicators (2014/15 indicators)	2014/15	1.1%	1.3%	1.0%	0.0%		65.0%
Obesity: QOF prevalence (16+)	2014/15	27.2%	10.1%	9.0%	0.0%		29.4%
DM007: Last HbA1c is <=59mmol/mol in last 12mths (den. incl. exc.)	2014/15	55.9%	60.3%	60.4%	0.0%		100%
DM008: Last HbA1c is <=64mmol/mol in last 12mths (den. incl. exc.)	2014/15	63.4%	68.7%	68.4%	0.0%		100%
DM009: Last HbA1c is <=75mmol/mol in last 12mths (den. incl. exc.)	2014/15	75.2%	80.4%	79.3%	0.0%		100%
DM002: Last BP is <=150/90 (den. incl. exc.)	2014/15	81.4%	85.4%	86.6%	0.0%		100%
DM003: Last BP is <=140/80 (den. incl. exc.)	2014/15	50.3%	67.2%	71.2%	0.0%		100%
DM004: Measured total cholesterol (last 12mths) <=5mmol/l(den.incl.exc.)	2014/15	76.6%	70.2%	70.8%	0.0%		100%
DM005: Record of micro-albuminuria test last 12mths (den. incl. exc.) - retired	2013/14	56.4%	76.7%	80.6%	1.1%		100%
DM006: Proteinuria/micro-album. treated w inhibitors (den. incl. exc.)	2014/15	100%	79.2%	81.2%	0.0%		100%
DM011: record of retinal screening (den.incl.exc.) - retired	2013/14	69.3%	77.4%	82.6%	0.0%		100%
DM012: Patients with diabetes who had a foot examination and risk classification (den.incl.exc.)	2014/15	73.1%	81.7%	81.5%	0.0%		100%
DM013: Patients with diabetes who had a dietary review (last 12mths) (den.incl.exc.) - retired	2013/14	37.1%	75.9%	82.2%	0.0%		100%
DM014: Newly diagnosed patients w. diabetes referred to education programme within 9 mths (den.incl.exc.)	2014/15	14.3%	49.6%	66.3%	0.0%		100%
DM015: Male patients w. diabetes asked about erectile dysfunction (last 12 mths) (den.incl.exc.) - retired (Male)	2013/14	66.7%	69.8%	81.6%	0.0%		100%
DM016: Male patients w. diabetes w. erectile dysfunction who got advice (den.incl.exc.) - retired (Male)	2013/14	70.8%	77.8%	87.9%	0.0%		100%
DM018: Flu vaccination coverage (den.incl.exc.)	2014/15	82.8%	76.4%	77.6%	37.0%		100%

Mental Health

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
Mental Health: QOF prevalence (all ages)	2014/15	1.43%	0.85%	0.88%	0.06%		15.57%
Exception rate for MH indicators (2014/15 indicators)	2014/15	6.0%	11.8%	11.1%	0.0%		76.7%
Dementia: QOF prevalence (all ages)	2014/15	0.5%	0.9%	0.7%	0.0%		59.2%
% reporting Alzheimer's disease or dementia	2014/15	0.7%	0.9%	1.0%	0.3%		25.0%
Exception rate for dementia indicators	2014/15	0.0%	9.8%	8.3%	0.0%		100%
Depression: QOF incidence (18+) - new diagnosis	2014/15	3.3	1.3	1.2	0.0		18.2
Depression: QOF prevalence (18+)	2014/15	13.0%	8.1%	7.3%	0.0%		33.0%
Exception rate for depression indicator (2014/15 indicators)	2014/15	20.4%	25.5%	24.5%	0.0%		100%
% reporting a long-term mental health problem	2014/15	2.9%	4.8%	5.1%	0.4%		60.1%
MH002: comprehensive care plan (den. incl. exc.)	2014/15	54.5%	74.7%	77.2%	0.0%		100%
MH007: record of alcohol consumption for patients on the MH register (last 12 mnths), den. incl. exc.	2014/15	63.6%	77.1%	80.3%	0.0%		100%
MH006: record of BMI for patients on the MH register in preceding 12 months (den.incl.exc.) - retired	2013/14	70.8%	75.3%	78.8%	0.0%		100%
MH003: record of blood pressure check in preceding 12 months for patients on the MH register (den.incl.exc.)	2014/15	77.3%	79.7%	81.5%	0.0%		100%
MH008: Female patients (25-64 yrs) on the MH register who had cervical screening test in preceding 5 years (den. incl. exc.)	2014/15	44.4%	71.5%	71.6%	0.0%		100%
MH009: Patients on lithium therapy with record of serum creatinine and TSH in the preceding 9 months (den.incl.exc.)	2014/15	100%	93.9%	93.4%	0.0%		100%
MH010: Patients on lithium therapy with levels in therapeutic range in preceding 4 months (den.incl.exc.)	2014/15	100%	84.0%	82.6%	0.0%		100%
MH004: Patients on MH register with cholesterol check in preceding 12 months (den.incl.exc.) - retired	2013/14	45.5%	61.4%	68.0%	0.0%		100%
MH005: Patients on the MH register with blood glucose or HbA1c check in preceding 12 months (den.incl.exc.) - retired	2013/14	53.3%	71.0%	74.9%	0.0%		100%
DEP001: Newly diagnosed patients w. depression who had a bio-psychosocial assessment on diagnosis (current FY, aged 18+) (den.incl.exc.) - retired	2013/14	51.1%	68.3%	75.8%	0.0%		100%
DEP003: Newly diagnosed patients with depression who had a review 10-56 days after diagnosis (den.incl.exc.)	2014/15	38.9%	63.4%	63.8%	0.0%		100%
DEM002: Dementia care has been reviewed last 12mths (den.incl.exc.)	2014/15	80.0%	77.9%	77.0%	0.0%		100%
DEM003: Blood tests recorded (den.incl.exc.)	2014/15	100%	73.1%	74.7%	0.0%		100%

Musculoskeletal Conditions

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
Osteoporosis: QOF prevalence (50+)	2014/15	0.6	0.2	0.2	0.0		9.6
Exception rate for OST indicators	2014/15	40.0%	13.0%	12.5%	0.0%		100%
Rheumatoid Arthritis: QOF prevalence (16+)	2014/15	1.05	0.82	0.73	0.00		4.60
Exception rate for RA indicators (2014/15 indicators)	2014/15	5.6%	8.4%	7.4%	0.0%		82.8%
% reporting a long-term back problem	2014/15	10.7%	9.6%	9.9%	0.0%		38.4%
% reporting arthritis or long-term joint problem	2014/15	14.7%	13.4%	12.8%	0.4%		34.9%
OST002: currently treated with a bone-sparing agent (50-74 yrs)(den.incl.exc.)	2014/15	66.7%	82.7%	82.8%	0.0%		100%
OST005: Patients (75+ yrs) with a fragility fracture treated with bone-sparing agent (den.incl.exc.)	2014/15	50.0%	78.4%	79.3%	0.0%		100%
RA002: Patients with rheumatoid arthritis who had a face-to-face review (last 12 mnths) (den.incl.exc.)	2014/15	72.2%	84.7%	84.3%	0.0%		100%
RA003: Patients w. rheumatoid arthritis, aged 30-84, who had an RA adjusted CV risk assessment (last 12 mnths) (den.incl.exc.) - retired	2013/14	93.8%	75.0%	86.8%	0.0%		100%
RA004: Patients w. rheumatoid arthritis, aged 50-90, who had an RA adjusted fracture risk assessment (last 24 mnths) (den.incl.exc.) - retired	2013/14	100%	68.5%	82.1%	0.0%		100%

Respiratory Disease

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
COPD: QOF prevalence (all ages)	2014/15	3.6%	2.0%	1.8%	0.0%		9.0%
Exception rate for COPD indicators	2014/15	10.7%	12.6%	12.3%	0.0%		57.8%
Asthma: QOF prevalence (all ages)	2014/15	6.9%	6.7%	6.0%	0.7%		12.5%
Exception rate for asthma indicators	2014/15	2.2%	9.4%	6.8%	0.0%		63.7%
Estimated smoking prevalence (QOF)	2014/15	27.4	17.3	18.4	0.0		83.3
Exception rate for smoking indicators (2014/15 indicators)	2014/15	1.1%	1.3%	1.0%	0.0%		65.0%
GP patient survey: smoking prevalence	2014/15	18.7%	15.6%	16.4%	1.3%		85.8%
GP patient survey: ex-smoking prevalence	2014/15	33.6%	30.6%	27.4%	0.5%		51.3%
COPD007: Influenza immunisation given 1 Aug - 31 Mar (den. incl. exc.)	2014/15	86.8%	80.8%	81.5%	0.0%		100%
COPD004: Record of FEV1 in last 12mths (den. incl. exc.)	2014/15	61.8%	75.8%	73.2%	0.0%		100%
COPD003: assessed using MRC dyspnoea score last 12mths (den. incl. exc.)	2014/15	65.8%	79.5%	79.9%	0.0%		100%
COPD002: Diagnosis conf. by spirometry (den. incl. exc.)	2014/15	50.0%	79.5%	81.1%	0.0%		100%
AST002: with measures of variability/reversibility (8+), den. incl. exc.	2014/15	82.4%	83.6%	84.3%	0.0%		100%
AST003: review in the last 12 months (incl. an assessment using the 3 RCP questions), den. incl. exc.	2014/15	60.7%	67.8%	69.7%	0.0%		100%
AST004: smoking recorded in last 12 mths (14-19y w asthma), den. incl. exc.	2014/15	83.3%	81.2%	83.9%	0.0%		100%
SMOK002: status recorded in last 12 mths (certain conditions), den.incl.exc.	2014/15	93.2%	93.5%	93.2%	0.0%		100%
SMOK005: cessation support and treatment offered (certain conditions), den. incl. exc.	2014/15	85.1%	93.3%	94.1%	12.6%		100%
SMOK001: record of smoking status in last 24 months (15+ y), den. incl. exc. - retired	2013/14	85.9%	83.2%	85.6%	2.1%		100%
SMOK004: record of offer of support and treatment (15+, last 24 mnths), den. incl. exc.	2014/15	77.0%	84.9%	85.8%	0.0%		100%
COPD005: Patients w. MRC dyspnoea score >=3 w.oxygen saturation value (last 12mths) (den.incl.exc.)	2014/15	92.9%	94.6%	94.5%	0.0%		100%

AMR Local indicators

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
Total number of prescribed antibiotic items per 1000 registered patients by quarter	2016 Q1	229.6	161.1	160.2	0.1		2119.7
Total number of prescribed antibiotic items per STAR-PU by quarter	2016 Q1	0.42	0.27	0.30	0.00		4.06
Percentage of broad spectrum prescribed antibiotic items (cephalosporin, quinolone and co-amoxiclav class) by quarter	2016 Q1	13.06%	10.96%	9.87%	0.00%		100.00%

Other Conditions

Indicator	Period	Prac. Value	CCG Value	Eng. Ave.	Eng. Low.	England Range	Eng. High.
Epilepsy: QOF prevalence (18+)	2014/15	0.8%	0.9%	0.8%	0.1%		5.6%
EP002: Seizure free for last 12mths (den.incl.exc.) - retired	2013/14	25.0%	56.1%	61.2%	0.0%		100%
EP003: Contraception, conception and pregnancy (den.incl.exc.) - retired (Female)	2013/14	80.0%	39.6%	56.9%	0.0%		100%
Learning disability: QOF prevalence	2014/15	1.0%	0.5%	0.4%	0.0%		4.3%
LD002: Down's Syndrome with blood TSH record (den.incl.exc.) - retired	2013/14	100%	48.2%	54.7%	0.0%		100%
% reporting learning difficulty	2014/15	-	2.9%	2.6%	0.3%		30.8%
Hypothyroidism: QOF prevalence (all ages) - retired	2013/14	3.5%	3.8%	3.3%	0.0%		10.8%
THY002: function test recorded last 12mths (den.incl.exc.) - retired	2013/14	79.5%	92.9%	93.6%	0.0%		100%
Palliative/supportive care: QOF prevalence (all ages)	2014/15	0.1%	0.3%	0.3%	0.0%		35.3%
% reporting blindness or severe visual impairment	2014/15	-	1.4%	1.4%	0.3%		17.2%
% reporting deafness or severe hearing impairment	2014/15	3.5%	4.9%	4.0%	0.2%		17.2%